

**To:** LaPoma, Jennifer[LaPoma.Jennifer@epa.gov]; jean.m.bolduc@lmco.com[jean.m.bolduc@lmco.com]  
**From:** Catanzarita, Jeff  
**Sent:** Fri 3/18/2016 12:02:37 PM  
**Subject:** RE: New Cassel PDIWP Files

Thanks Jen. We have sufficient hrs to do more work

Thank you,

Jeff

---

**From:** LaPoma, Jennifer  
**Sent:** Thursday, March 17, 2016 2:32 PM  
**To:** jean.m.bolduc@lmco.com  
**Cc:** Catanzarita, Jeff <Catanzarita.Jeff@epa.gov>  
**Subject:** RE: New Cassel PDIWP Files

Jean and Jeff,

Thank you again for pulling this together and for the quick turnaround on these items. And Jean thank you for your responsive and walking me through a lot of these items.

Jeff – I mentioned this to Jean, but there may be further revisions after our meeting and negotiations with the PRPs. So, this PDI Work Plan won't be draft final. Jean sent me the word document so if there are any small changes to the work plan I will make those in the version I give to the PRPs at our meeting next week and pass those along to you guys.

---

**From:** Bolduc, Jean M [<mailto:jean.m.bolduc@lmco.com>]  
**Sent:** Thursday, March 17, 2016 9:25 AM  
**To:** LaPoma, Jennifer <[LaPoma.Jennifer@epa.gov](mailto:LaPoma.Jennifer@epa.gov)>  
**Cc:** Catanzarita, Jeff <[Catanzarita.Jeff@epa.gov](mailto:Catanzarita.Jeff@epa.gov)>  
**Subject:** New Cassel PDIWP Files

Jen,

The SERAS internal review of the New Cassel PDIWP is done.  
The attached files contain the most up to date version of the New Cassel PDIWP based on EPA and SERAS reviews.

Jean Bolduc  
LM/SERAS  
2890 Woodbridge Ave.  
Edison, NJ 08837  
Ph. 732-321-4280